Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(annotat$4 with (program source)) and directive and (memory with fixed)	US-PGPUB	OR	ON	2005/10/17 10:40
L2	85	(annotat$4 with (program source)) and (memory with fixed)	US-PGPUB	OR	ON	2005/10/17 10:54
L3	0	2 and (objects near2 fixed)	US-PGPUB	OR	ON	2005/10/17 10:55
L4	13	2 and compiler	US-PGPUB	OR	ON	2005/10/17 10:55
S1	7	(memory with pag$3) and allocat$3 and (OMS OR (object adj management adj system)) and compil$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:39
S2	19	(pag$3) and allocat$3 and (OMS OR (object adj management adj system)) and compil$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:55
S3	17	S2 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:47
S4	8	paging and allocat$3 and (OMS OR (object adj management adj system)) and compil$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:56
S5	559	paging same allocat$3 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:56
S6	3	S5 and ((annotat$4 OR directives) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:58
S7	98	S5 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:59
S8	75	S7 and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:59

S9	57	S8 and ((plac$3 OR insert$3 OR add$3 OR annotat$3) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:00
S10	12	S9 and (limited with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:29
S11	24	hardware adj caching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:30
S12	5	S11 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:35
S13	285	(source adj code) with (annotat$3 OR directives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:35
S14	14	S13 and constant and volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:49
S15	1016	estimat$4 near3 usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S16	60	S15 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S17	56	S16 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S18	42	S17 and compil$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50

S19	40	S18 and allocat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S20	37	S19 and (annotat$4 OR directives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:55
S21	2272	(data with constant) and (data with volatile) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:08
S22	196	S21 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:08
S23	25	S22 and static and overlay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:43
S24	225	717/158.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:50
S25	29	S24 and (divid$3 with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:50
S27	4	S25 and compiler and (allocat$3 with (memory or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:47
S28	85	717/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:50
S30	10	S28 and (divid$3 with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:51

S31	37	("4847755" | "4914590" | "4947315" | "5014185" | "5021945" | "5179703" | "5193180" | "5212794" | "5265254" | "5333304" | "5335344" | "5355487" | "5412799" | "5428782" | "5428793" | "5450586" | "5465258" | "5485616" | "5517628" | "5522036" | "5535329" | "5539907" | "5555417" | "5606698" | "5689712" | "5787284" | "5797012" | "5797013" | "5812854").PN. OR ("6029004").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/12 14:20
S32	57	("5212794").URPN.	USPAT	OR	ON	2004/11/12 14:35
S33	39584	(test OR sequence) with vector	USPAT	OR	ON	2004/11/12 14:36
S34	1042	S33 and memory and cache	USPAT	OR	ON	2004/11/12 14:36
S35	118	S34 and (divid$3 with (program OR code OR source))	USPAT	OR	ON	2004/11/12 15:27
S36	28	S35 and platform	USPAT	OR	ON	2004/11/12 14:37
S37	27	S34 and "717".clas.	USPAT	OR	ON	2004/11/12 15:26
S38	11	static adj caching	USPAT	OR	ON	2004/11/12 15:26
S40	27	S34 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:26
S41	20	static adj caching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:33
S42	106	(profile with data with frequency) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:35
S43	9	S42 and paging	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41
S44	24047	fast with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41

S45	8156	fast near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41
S46	382	S45 and source adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41
S47	83	S46 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S48	1	S47 and annotat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S49	67	S47 and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S50	28	S49 and compiler with directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:43
S51	28	S50 and (usage OR frequenc$3 OR estimat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:43
S52	7357	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:47
S53	1060	S52 and (cache with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:48
S54	16	S53 and directive and annotat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:50

S55	16	S54 and compil$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:27
S56	392	S53 and compiler and (frequency OR usage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:27
S57	21	S56 and (assign$3 with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:22
S58	35	S52 and (execut$3 with frequenc$3) and cache and (compiler with insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:24
S59	26	S58 and 717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:30
S60	5	S59 and directive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:30
S61	26	("5752038").URPN.	USPAT	OR	ON	2004/11/15 12:32
S62	5	("20020100018" | "20030028686" | "5752038" | "5933635" | "6463582").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 12:33
S63	1236	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:06
S64	34	S63 and (first adj computer) and (second adj computer) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:48
S65	14	S64 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:50

S66	4	S63 and (program with re$1ordering) and ((second adj computer) OR (client and server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:51
S67	502	S63 and (static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:07
S68	99	S63 and (static with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:07
S69	20	S63 and (static with object with (defin$5 OR designat$4 OR set$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:39
S70	0	S63 and (static with overlay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:40
S71	171	overlay adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:40
S72	1	S71 and (static adj object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:40
S73	84	(dynamic$3 near3 paging) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S74	46	S73 and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S75	41	S74 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54

S76	0	S75 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S77	12	(US-20010049818-$ or US-20030088860-$).did. or (US-5212794-$ or US-5530964-$ or US-5752038-$ or US-5889996-$ or US-5937191-$ or US-6029004-$ or US-6292934-$ or US-6301652-$ or US-6631518-$ or US-6634023-$). did.	US-PGPUB; USPAT	OR	ON	2004/11/16 10:01
S78	6	S77 and dynamic$4	US-PGPUB; USPAT	OR	ON	2004/11/16 10:33
S79	1242	717/151-161.ccls.	US-PGPUB; USPAT	OR	ON	2004/11/16 10:33
S80	70	S79 and (dynamic$4 with allocat$3) and static	US-PGPUB; USPAT	OR	ON	2004/11/16 10:33
S81	19	S79 and (dynamic$4 with allocat$3) and ((static OR non$1dynamic$3) with allocat$3)	US-PGPUB; USPAT	OR	ON	2004/11/16 10:34
S82	10	S81 and cache	US-PGPUB; USPAT	OR	ON	2004/11/16 10:34
S83	169	(source adj code) with directives	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:35
S84	18	S83 and (annotat$4 near2 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:46
S85	0	S84 and constant and volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:36
S86	13	S84 and pag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:47

S87	0	S84 and paging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:47
S88	10	S83 and paging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:50
S89	647	(fixed near2 memory) near2 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:40
S90	8	S89 and 717/140-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:41
S91	2717	717/140-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:59
S92	1	S91 and (overlay near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:59
S93	9478	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:13
S94	42	S93 and (execut$3 with frequenc$3) and cache and (compiler with insert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:13
S95	349	(source adj code) with (annotat$3 OR directives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:14

S96	26	S95 and constant and volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:20
S97	255	717/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:21
S98	19	S97 and ((annotat$4 directive) with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:21